



CLEVELAND TANK



DIESEL • HYDRAULIC • CUSTOM • OEM




We are **CLEVELAND TANK**

Located in Cleveland, Ohio, we design and produce diesel fuel and hydraulic fluid tanks for aftermarket, OEM and custom applications.

All our tanks are designed in-house by a team of highly skilled engineers to ensure a perfect fit and are manufactured by hand for unbeatable quality and performance.

At Cleveland Tank, we are committed to providing quality products, excellent customer service and on-time delivery that exceeds our customers' expectations.

The CLEVELAND TANK Difference




CUSTOMER SERVICE

At Cleveland Tank, we believe in providing our customers with top-notch customer service. Whether it's a product availability inquiry or a complete custom tank development project, our entire team is standing by ready to assist you with whatever questions you may have.



IN-STOCK INVENTORY

Our in-stock inventory and JIT programs are designed to meet your immediate needs. All our diesel tanks are DOT-certified and stocked on a regular basis. We also have all the installation and mounting accessories you need. Best of all, in-stock items ship within 48 hours.



IN-HOUSE ENGINEERS

Having a team of engineers on staff provides us with a major advantage over other tank manufacturers. Their expertise reduces costs, shortens lead times, provides project flexibility and guarantees that our customers receive a high-quality, long-lasting product with a perfect fit.



MADE IN THE USA

Located in Cleveland, Ohio, our tanks are proudly produced in America. From designing and engineering to fabricating and welding, every step of the tank process is completed by hand in our Cleveland-based facility. The result, high-quality tanks that are proudly made in the USA.

TABLE OF CONTENTS

- OEM Tanks 4
- Custom Tanks 5
- Diesel Tanks
 - Cylindrical 6
 - D-Shape 7
 - Rectangular 8
 - Step 9
- School Bus Tanks
 - Blue Bird 10
 - IC 11
 - Thomas..... 12
- Parts & Accessories
 - Mounting Kits 13
 - Mounting Straps 14
 - Rubber Insulators 14
 - Mounting Brackets..... 15
 - Fuel Caps 15

CLEVELAND TANK & SUPPLY
 15 HEMISPHERE WAY
 BEDFORD, OH 44146

OEM TANKS

A premier supplier to multiple original equipment manufacturers throughout the United States, Cleveland Tank has extensive experience with OEMs and specialty manufacturers. As one of the leading diesel fuel and hydraulic tank manufacturers in the industry, Cleveland Tank consistently delivers quality products, on-time shipping and expert service. From concept to finished good, our innovative team is ready to develop a tank for any of the original equipment applications shown below, and more!



AGRICULTURE



AIRPORT SERVICE



BOX TRUCK



CEMENT/CONCRETE



CONSTRUCTION



DUMP TRUCK



EMERGENCY



GOVERNMENT



HYDRAULIC



MARINE



MOTORHOME



OIL & NATURAL



PRESSURE WASHER



RAILROAD



REFUSE/GARBAGE



SCHOOL BUS



SEMI-TRUCK




SERVICE & UTILITY



SNOW REMOVAL



STREET SWEEPER



Custom-designed **diesel fuel tanks.**

For unique diesel fuel tank needs, use the creative and cost-saving expertise of Cleveland Tank's engineering team to create a custom tank design. Our full-service engineering bridges the entire project, from concept to design to production. All our tanks are made here in the USA and are ready for FMCSA certification.

ENGINEERING

We have an in-house engineering staff on hand to provide creative design assistance, help solve complex problems and deliver innovative solutions. Our team can quickly design tanks and tank mounting accessories that will proudly integrate into your offerings.

MANUFACTURING

With more than 30 years of manufacturing experience, we have developed advanced production techniques, have a wide variety of materials available to meet your needs, plus we can produce any mounting bracket, strap or hardware that may be required.

CERTIFYING

We understand and manufacture to the appropriate regulations that govern fuel tanks. We have extensive experience with side mount and non-side mount certifications and can provide required drop testing to certify new designs to FMCSA standards.

FINISHING

We have worked diligently to develop an advanced powder coat system and acid wash operation within our facility. Our industry leading powder coating and acid washing experts consistently deliver quality finishes to all our diesel fuel, hydraulic fluid and specialty tanks.

Biodiesel tank **solutions.**

Complex tank solutions are just one of our specialties here at Cleveland Tank! When one of our top OEMs approached us with a complicated problem, our highly skilled team of engineers and technicians developed this 2-in-1 biodiesel tank solution. The all aluminum tank features two completely separate chambers, one for diesel and one for biodiesel, and fits perfectly in our OEM's application. Contact us today to learn more about our biodiesel tank capabilities.



DIESEL TANKS

CYLINDRICAL



Our aftermarket cylindrical diesel fuel tanks feature a universal design that will work for most driver or passenger side installations and are available in your choice of high-strength steel or lightweight aluminum. Steel tanks are manufactured from high-grade steel and come with a long-lasting black powder coat finish. Aluminum tanks are built from corrosion-resistant aluminum and feature a bright acid wash finish. Aftermarket cylindrical tanks are DOT-approved and are always in stock and available for immediate shipment.

FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Sending unit
- Sight gauge
- Locking fuel cap
- Drain check valve

Part #	Material	Gallons	Weight	Length	Diameter	Mounting Kit Part #
CA1635CC-20	Aluminum	35	35 lbs.	41.00"	16.00"	KJ16-S-2
CA2250CC-00	Aluminum	50	65 lbs.	34.00"	22.00"	KJ22-S-2
CA2250CC-54	Aluminum	50	65 lbs.	34.00"	22.00"	KJ22-S-2
CA24100CC-00	Aluminum	100	100 lbs.	56.00"	24.00"	KJ24-S-3
CA2460CC-00	Aluminum	60	60 lbs.	34.00"	24.00"	KJ24-S-2
CA26100CC-00	Aluminum	100	100 lbs.	46.50"	26.00"	KJ26-S-3
CA2675CC-00	Aluminum	75	60 lbs.	35.00"	26.00"	KJ26-S-2
CA2680CC-55	Aluminum	80	52 lbs.	38.00"	26.00"	KJ26-S-2
CS1635CC-00	Steel	35	85 lbs.	35.00"	16.00"	KJ16-S-2
CS1660LC-50	Steel	60	135 lbs.	72.00"	16.00"	KJ16-S-2
CS2250CC-00	Steel	50	100 lbs.	35.00"	22.00"	KJ22-S-2
CS24100CC-00	Steel	100	175 lbs.	56.00"	24.00"	KJ24-S-3
CS2460CC-00	Steel	60	110 lbs.	35.00"	24.00"	KJ24-S-2
CS2675CC-01	Steel	75	130 lbs.	36.00"	26.00"	KJ26-S-2

DIESEL TANKS

D-SHAPE



We stock a complete line of aftermarket D-shape diesel fuel tanks. Featuring a universal design, our D-tanks will fit most driver or passenger applications, are DOT-approved and are available in a range of different capacities for a wide variety of applications. D-tanks are constructed from high-strength corrosion-resistant aluminum, come with a bright acid wash finish and provide significant weight savings over comparable steel tanks. D-shape tanks are always in stock and available for immediate shipment.

FEATURES

- Lightweight, corrosion-resistant aluminum construction
- Bright acid etched finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Locking fuel cap
- Drain check valve

Part #	Gallons	Tank Location	Weight	Length	Width	Height
DA1650LC-00	50	Passenger side	40 lbs.	34.50"	25.25"	16.50"
DA1650RC-00	50	Driver side	40 lbs.	34.50"	25.25"	16.50"
DA19105LC-00	105	Driver side	80 lbs.	61.00"	25.00"	19.00"
DA19105RC-50	105	Passenger side	80 lbs.	61.00"	25.00"	19.00"
DA1950RC-50	50	Passenger side	50 lbs.	28.00"	25.00"	19.00"
DA1970LC-00	70	Passenger side	60 lbs.	40.00"	25.25"	16.50"
DA1970RC-00	70	Driver side	60 lbs.	40.00"	25.25"	16.50"

Replacement diesel tanks for Freightliner FL-Series trucks.

We carry a large selection of DOT-certified diesel fuel tanks for popular Freightliner FL-Series trucks. Available in aluminum or steel, our tanks are designed to replace original tanks where the steps were bolted into the tank. By eliminating the tank through bolt, our tanks reduce premature leaking, rusting and paint blisters. Contact our team for more information today.



DIESEL TANKS

RECTANGULAR



Cleveland Tank's aftermarket rectangular diesel fuel tanks offer the perfect replacement tank for a wide variety of applications. Rectangular tanks are DOT-approved, feature a universal design that will fit hundreds of different vehicles and are available in various dimensions, volumes and configurations. Rectangle-shaped tanks come in your choice of high-grade steel with a corrosion-resistant black powder coat finish or light-weight aluminum with a bright acid wash finish. Plus, all rectangular tanks are always in stock and available for immediate shipment.

FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Locking fuel cap
- Drain check valve

Part #	Material	Gallons	Tank Location	Weight	Length	Width	Height	Mounting Kit Part #
RA1745LC-20	Aluminum	45	Driver side	80 lbs.	38.00"	18.00"	18.00"	KL1745-S
RA1745RC-20	Aluminum	45	Passenger side	80 lbs.	38.00"	18.00"	18.00"	KL1745-S
RA1775LC-20	Aluminum	75	Passenger side	100 lbs.	64.00"	18.00"	18.00"	KL1775-S
RA1775RC-20	Aluminum	75	Driver side	100 lbs.	64.00"	18.00"	18.00"	KL1775-S
RS1130CC-00	Steel	30	Between frame rails	80 lbs.	28.00"	24.00"	11.00"	KL1130-S
RS1450CC-00	Steel	50	Between frame rails	125 lbs.	38.50"	25.50"	14.00"	KL1450-S-B
RS1550LC-50	Steel	50	Passenger side	120 lbs.	37.00"	25.00"	15.00"	KL1550-S-B
RS1550RC-20	Steel	50	Driver side	120 lbs.	37.00"	25.00"	15.00"	KL1550-S-B
RS1670CC-01	Steel	70	Between frame rails	145 lbs.	46.25"	24.00"	16.00"	KL1670-S-B
RS1745LC-20	Steel	45	Passenger side	100 lbs.	38.00"	18.00"	18.00"	KL1745-S
RS1745RC-20	Steel	45	Driver side	100 lbs.	38.00"	18.00"	18.00"	KL1745-S
RS1755CC-52	Steel	55	Driver side	120 lbs.	38.00"	22.00"	17.00"	KL1745-S
RS1775LC-20	Steel	75	Passenger side	135 lbs.	64.00"	18.00"	18.00"	KL1775-S
RS1775RC-20	Steel	75	Driver side	135 lbs.	64.00"	18.00"	18.00"	KL1775-S
RS24100CC-01	Steel	100	Between frame rails	182 lbs.	44.00"	24.00"	24.00"	KL24100-S-2

DIESEL TANKS

STEP



We stock a massive selection of aftermarket replacement step fuel tanks. DOT-approved step fuel tanks have a universal design that works for most driver or passenger side applications and are available in your choice of steel or aluminum. Steel step tanks are constructed from high-grade steel and have a durable black powder coat finish while aluminum step tanks are made from weight saving, corrosion-resistant aluminum and have a bright acid wash finish. Step fuel tanks are always in stock and available for immediate shipment.

FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Locking fuel cap
- Drain check valve

Part #	Material	Gallons	Tank Location	Weight	Length	Width	Height	Mounting Kit Part #
RA1550ISLC-50	Aluminum	50	Passenger side	120 lbs.	37.00"	25.00"	15.25"	KL1550-S-B
RA1550ISRC-50	Aluminum	50	Driver side	120 lbs.	37.00"	25.00"	15.25"	KL1550-S
RS1450ISRC-00	Steel	50	Driver side	125 lbs.	38.50"	25.50"	14.00"	KL1450-S-B
RS1550ISLC-00	Steel	50	Passenger side	125 lbs.	37.00"	25.00"	15.25"	KL1550-S-B
RS1550ISRC-20	Steel	50	Driver side	125 lbs.	37.00"	25.00"	15.25"	KL1550-S-B
RS1675ISLC-00	Steel	75	Driver side	145 lbs.	52.00"	24.00"	16.00"	KL1670-S-B
RS1675ISRC-00	Steel	75	Passenger side	145 lbs.	52.00"	24.00"	16.00"	KL1670-S-B
RS1850ISRC-55	Steel	50	Driver side	125 lbs.	42.00"	20.25"	18.00"	KL1850-S
RS1950ISLC-20	Steel	50	Driver side	120 lbs.	30.00"	26.00"	19.00"	KL1950-S
RS1950ISRC-20	Steel	50	Passenger side	120 lbs.	30.00"	26.00"	19.00"	KL1950-S

Cylindrical and rectangular fuel tanks with strap steps also available. Call us at [216.771.8265](tel:216.771.8265) or visit clevelandtank.com to learn more today.

SCHOOL BUS TANKS

BLUE BIRD



BLUE BIRD®



Our complete line of aftermarket diesel tanks offers a cost-effective replacement solution for your Blue Bird school bus. With over 30 years of school bus industry experience, our team can cross reference your factory fuel tank OEM # with hundreds of our part numbers to find the correct direct-fit tank for your application. All our aftermarket fuel tanks are DOT-approved, and are in stock and available for immediate shipment.

FEATURES

- Heavy-duty steel construction
- Durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube and return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Sending unit
- Sight gauge
- Locking fuel cap
- Drain check valve

Part #	OEM #	Gallons	Length	Width	Height	Notes
RS1145LC-50	10058732, 1667682	45	39.00"	20.50"	14.50"	Side/outside frame
RS1460RC-50	—	60	52.50"	20.50"	14.50"	Note fill neck location
RS1460LC-50	00068148, 10049447, 15314177, 1667690, 1667716	60	52.50"	20.50"	14.50"	Note fill neck location
RS1460LC-52	00068146, 10015137, 10019906, 10049441, 10058860	60	52.50"	20.50"	14.25"	Side/outside frame
RS1460LC-53	00049389, 00067239, 10015137, 10058860	60	52.50"	20.50"	14.25"	Non-side/inside frame
RS1490LC-50	1997642	90	80.00"	20.50"	14.00"	—
RS1490CC-50	1667732, 4040823	90	80.00"	20.50"	14.00"	—
RS14100LC-52	00067240, 10015138	100	91.00"	20.50"	14.25"	Non-side/inside frame
RS14100LC-50	00049387, 1997501	100	91.00"	20.50"	14.00"	Non-side/inside frame
RS22100LC-50	00068151, 1935493	100	57.75"	20.50"	22.00"	Non-side/outside frame
RS22100CC-51	61270458	100	49.50"	23.00"	22.00"	Non-side/inside frame

BLUE BIRD MOUNTING ACCESSORIES

Fuel Tank Part #	Bracket Insulator Part #	Mounting Strap Part #	Strap Insulator Part #
RS1145LC-50	RIF1.50	S5000BB138-50	RIF1.50
RS1460RC-50	RIF1.50	S5000BB138-50	RIF1.50
RS1460LC-50	RIF1.50	S3865BB138-50	RIF1.50
RS1460LC-52	RIF1.50	S3865BB138-50	RIF1.50
RS1460LC-53	RIF1.50	S5000BB138-50	RIF1.50
RS1490LC-50	RIF1.50	S5000BB138-50	RIF1.50
RS1490CC-50	RIF1.50	S5000BB138-50	RIF1.50
RS14100LC-52	RIF1.50	S5000BB138-50	RIF1.50
RS14100LC-50	RIF1.50	S5000BB138-50	RIF1.50
RS22100LC-50	RIF1.50	S6575BB138-50	RIF1.50

SCHOOL BUS TANKS

IC



Our replacement diesel tanks are cost-effective alternatives to pricey OE tanks and are available for a wide variety of IC buses and school buses. Based on years of experience, we can cross reference hundreds of different fuel tanks to find the correct direct-fit replacement tank for IC application. Our aftermarket fuel tanks are DOT-approved, and are always in stock and available for immediate shipment.

FEATURES

- Heavy-duty steel construction
- Durable gloss black powder coat finish
- Pressure tested for leaks
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing and fuel cap
- Drawtube and return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Sending unit
- Sight gauge
- Locking fuel cap
- Drain check valve

Fuel Tank Part #	OEM #	Gallons	Length	Width	Height	Notes
RS1335LC-50	2014747C92	35	36.00"	20.00"	13.00"	Side/outside frame
RS1335LC-51	2507574C91	35	36.00"	20.00"	13.00"	Side/outside frame
RS1360LC-50	2014748C92, 2014748C93, 2507578C92, 3549884C91, 3549884C92, 3549884C93, 3549884C94, 3579021C92, 3579021C97	60	66.00"	20.00"	13.00"	Side/outside frame
RS1565CC-20	2041430C91, 2588007C91	65	47.50"	25.00"	15.25"	Non-side/inside frame
RS1565CC-21	3556524C92, 3556524C93	65	47.50"	25.00"	15.25"	Non-side/outside frame
RS1565RC-50	2586534C92, 2586534C93	65	46.00"	25.25"	15.50"	Non-side/outside frame
RS1565RC-51	2507579C91	65	46.00"	25.25"	15.50"	Non-side/outside frame
RS1565RC-52	3556525C92	65	46.00"	25.25"	15.50"	Non-side/outside frame
RS15100CC-21	2512589C91, 3512958C91, 3566369C91, 358427C93, 3596530C92	100	72.00"	25.00"	15.25"	Non-side/inside frame
RS15100CC-51	2017710C92, 3586922C92, 3596530C92	100	72.00"	25.00"	15.25"	Non-side/outside frame
RS15100CC-54	3596530C91, 3596530C92	100	72.00"	25.00"	15.25"	Non-side/outside frame
RS15100CC-57	4033008C91, 4033008C92, 4033008C93	100	72.00"	25.00"	15.25"	Non-side/outside frame

INTERNATIONAL MOUNTING ACCESSORIES

Fuel Tank Part #	Bracket Insulator Part #	Mounting Strap Part #	Strap Insulator Part #
RS1335LC-50/51	RIF1.50	S5300TT200-20	RI2.00-01
RS1360LC-50	RIF1.50	S5300TT200-20	RI2.00-01
RS1565CC-20/21	RIF1.50	S5980TT200-20	RI2.00-01
RS1565CC-21	RIF1.50	S5980TT200-20	RI2.00-01
RS1565RC-50/51	RIF1.50	S5980TT200-20	RI2.00-01
RS1565RC-52	RIF1.50	S5980TT200-20	RI2.00-01
RS15100CC-21/51	RIF1.50	S5980TT200-20	RI2.00-01
RS15100CC-54/57	RIF1.50	S5980TT200-20	RI2.00-01

SCHOOL BUS TANKS

THOMAS



Cleveland Tank manufactures a complete line of aftermarket replacement diesel tanks specifically for Thomas buses and school buses. Based on over 30 years of fuel tank experience, our team can easily and quickly cross reference hundreds of fuel tank part numbers to find the right tank for your application. All of the below tanks DOT-approved, plus they're always in stock and ready for immediate shipment.

FEATURES

- Heavy-duty steel construction
- Durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube and return
- Equalizer fittings
- Sending unit flange

OPTIONS

- Sending unit
- Sight gauge
- Locking fuel cap
- Drain check valve

Part #	OEM #	Gallons	Length	Width	Height	Notes
RS1331LC-51	0334334000	30	35.00"	18.00"	13.00"	—
RS1362LC-50	0324712002, 0332472002, 0334334001, 0337210001	62	75.00"	18.00"	13.00"	Side/outside frame
RS1535CC-50	0334726002, 0334726003, 0337225002	35	25.75"	24.75"	15.00"	—
RS1560CC-20	0332879000, 0334727001	60	43.50"	25.00"	15.25"	Non-side/inside frame
RS1560CC-21	0333397001, 033725001	60	43.50"	25.00"	15.25"	—
RS15100CC-53	0334726000, 0337205000	100	43.50"	25.00"	15.25"	—
RS15100CC-20	0334727000	100	72.00"	25.00"	15.25"	Non-side/inside frame
RS1660CC-50	61270246, 61270470	60	40.00"	23.00"	16.00"	Non-side/inside frame
RS16100CC-50	61270441	100	66.00"	24.00"	16.00"	Non-side/inside frame
RS1755CC-52	0323537009, 61270357	55	38.00"	22.00"	17.00"	Non-side/inside frame
RS22100CC-51	61270458	100	49.50"	23.00"	22.00"	Non-side/inside frame

THOMAS MOUNTING ACCESSORIES

Fuel Tank Part#	Bracket Insulator Part #	Mounting Strap Part #	Strap Insulator Part #
RS1331LC-51	RIF1.50	S4900TT200-20	RI2.00-01
RS1362LC-50	RIF1.50	S4900TT200-20	RI2.00-01
RS1535CC-50	RIF1.50	S5980TT200-00	RI2.00-01
RS1560CC-20	RIF1.50	S5550TT200-00	RI2.00-01
RS1560CC-21	RIF1.50	S5550TT200-00	RI2.00-01
RS15100CC-53	RIF1.50	S5550TT200-00	RI2.00-01
RS15100CC-20	RIF1.50	S5550TT200-20	RI2.00-01
RS1660CC-50	RIF1.50	S5800TT200-20	RI2.00-01
RS16100CC-50	RIF1.50	—	RI2.00-01
RS1755CC-52	RIF1.50	S3800TL200-51	RI2.00-01
RS22100CC-51	RIF1.50	S6850TT200-00	RI2.00-01

PARTS & ACCESSORIES

MOUNTING KITS

Cleveland Tank's fuel tank mounting kits are cost effective solutions to over priced kits from the dealer and incomplete kits from salvage yards. Our kits come packed with everything you need to install a diesel fuel tank. We provide a complete line of options to assist in mounting fuel tanks and every system is designed to meet industry standards.



FEATURES

- Steel brackets have a durable black powder coat finish
- Brackets available in "J" or "L" style
- Include steel or stainless steel straps
- Rubber insulators come in a 10 ft. roll

Kits available with additional components
— call 216.771.8265 or visit clevelandtank.com for details.

Part #	Bracket Material	Bracket Style	Bracket Qty.	Bracket Insulator Qty.	Strap Material	Strap Qty.	Strap Insulator Qty.	Notes
KJ16-S-1	Steel	"J"	1	1	Steel	1	1	Fits most 16" dia. fuel tanks
KJ16-S-2	Steel	"J"	2	1	Steel	2	1	Fits most 16" dia. fuel tanks
KJ16-SS-1	Steel	"J"	1	1	Stainless Steel	1	1	Fits most 16" dia. fuel tanks
KJ16-SS-2	Steel	"J"	2	1	Stainless Steel	2	1	Fits most 16" dia. fuel tanks
KJ22-S-2	Steel	"J"	2	1	Steel	2	1	Fits most 22" dia. fuel tanks
KJ22-SS-2	Steel	"J"	2	1	Stainless Steel	2	1	Fits most 22" dia. fuel tanks
KJ24-S-2	Steel	"J"	2	1	Steel	2	1	Fits most 24" dia. fuel tanks
KJ24-SS-2	Steel	"J"	2	1	Stainless Steel	2	1	Fits most 24" dia. fuel tanks
KJ26-S-2	Steel	"J"	2	1	Steel	2	1	Fits most 26" dia. fuel tanks
KJ26-SS-2	Steel	"J"	2	1	Stainless Steel	2	1	Fits most 26" dia. fuel tanks
KL1130-S	Steel	"L"	2	1	Steel	2	1	Fits most 11" high fuel tanks
KL1130-SS	Steel	"L"	2	1	Stainless Steel	2	1	Fits most 11" high fuel tanks
KL1450-S-B	Steel	"L"	2	1	Steel	2	1	Fits most 14" high fuel tanks
KL1550-S-B	Steel	"L"	2	1	Steel	2	1	Fits most 15" high fuel tanks
KL1670-S-B	Steel	"L"	2	1	Steel	2	1	Fits most 16" high fuel tanks
KL1850-S	Steel	"L"	2	1	Steel	2	1	Fits most 18" high fuel tanks
KL1850-SS	Steel	"L"	2	1	Stainless Steel	2	1	Fits most 18" high fuel tanks
KL1950-S	Steel	"L"	2	1	Steel	2	1	Fits most 19" high fuel tanks
KL1950-SS	Steel	"L"	2	1	Stainless Steel	2	1	Fits most 19" high fuel tanks
KL24100-S-2	Steel	"L"	2	1	Steel	2	1	Fits most 24" high fuel tanks
KL24100-SS-2	Steel	"L"	2	1	Stainless Steel	2	1	Fits most 24" high fuel tanks

PARTS & ACCESSORIES

MOUNTING STRAPS

Our high-strength fuel tank straps are hand bent and welded and are available in your choice of steel or stainless steel. Plus, every strap includes all necessary hardware, like T-bolts, lock nuts and washers.



FEATURES

- Steel straps come with a durable black powder coat finish
- Available with T-bolt and/or loop ends
- Zinc-plated hardware (where applicable)

Straps can be custom made to any length
— call 216.771.8265 or visit
clevelandtank.com for details.

Steel Part #	Stainless Steel Part #	Length	Width	Bolt Styles
S3400TL200-51	SS3400TL200-51	34.00"	2.00"	T-bolt/Loop
S3550TT175-00	SS3550TT175-00	35.50"	1.75"	T-bolt/T-bolt
S3800TL200-50	SS3800TL200-50	38.00"	2.00"	T-bolt/Loop
S3800TL200-51	SS3800TL200-51	38.00"	2.00"	T-bolt/Loop
S4225TT175-00	SS4225TT175-00	42.25"	1.75"	T-bolt/T-bolt
S4400TL200-50	SS4400TL200-50	44.00"	2.00"	T-bolt/Loop
S4625TT175-00	SS4625TT175-00	46.25"	1.75"	T-bolt/T-bolt
S4900TT200-20	SS4900TT200-20	49.00"	2.00"	T-bolt/T-bolt
S5050TT175-00	SS5050TT175-00	50.50"	1.75"	T-bolt/T-bolt
S5075TT175-00	SS5075TT175-00	50.75"	1.75"	T-bolt/T-bolt
S5175TT175-00	SS5175TT175-00	51.75"	1.75"	T-bolt/T-bolt
S5550TT175-00	SS5550TT175-00	55.50"	1.75"	T-bolt/T-bolt
S5750TT175-00	SS5750TT175-00	57.50"	1.75"	T-bolt/T-bolt
S5800TT200-00	SS5800TT200-00	58.00"	2.00"	T-bolt/T-bolt

RUBBER INSULATORS

Eliminate vibration and prevent tank chafing with our extra-thick rubber insulators. They come in different lengths, are available with a C-channel design or self-adhesive backing and can be easily cut to the desired length. C-channel style insulators mount on fuel tank straps and self-adhesive insulators install on fuel tank brackets.



FEATURES

- Heavy-duty rubber construction

Custom length rubber insulators available
— call 216.771.8265 or visit
clevelandtank.com for details.

Part #	Length	Width	Notes
RI1.75-01	10'	1.75"	C-channel style
RI1.75-100	100'	1.75"	C-channel style
RI2.00-01	10'	2.00"	C-channel style
RI2.00-100	100'	2.00"	C-channel style
RIF1.50	10'	1.50"	Self-adhesive backing
RIF1.50-100	100'	1.50"	Self-adhesive backing

PARTS & ACCESSORIES

MOUNTING BRACKETS

When looking for replacement fuel tank mounting brackets, look no further than our cost-effective brackets. We offer a large selection of fuel tank mounting brackets in a variety of different styles for a hundreds of applications. Contact us today to learn more about our available mounting bracket styles.



FEATURES

- Brackets available in "J" or "L" style
- Heavy-duty steel construction
- Durable gloss black powder coat finish

Custom mounting brackets available upon request
— call 216.771.8265 or visit clevelandtank.com for details.

Part #	Bracket Material	Bracket Style	Length	Width	Height
BJ16C-20	Steel	"J"	13.75"	5.00"	19.00"
BJ22C-20	Steel	"J"	—	5.00"	23.50"
BJ24C-20	Steel	"J"	—	5.00"	27.00"
BJ26C-20	Steel	"J"	—	5.00"	28.00"
BL1475-1975C-20	Steel	"L"	19.75"	6.00"	14.75"
BL1600-1913C-20	Steel	"L"	21.00"	6.00"	17.75"
BL1800-1800C-20	Steel	"L"	19.75"	6.00"	19.75"
BL1900-2050C-20	Steel	"L"	20.50"	6.00"	19.00"
BL2000-1519C-20	Steel	"L"	17.00"	6.00"	21.75"
BL2225-2125C-00	Steel	"L"	21.25"	6.00"	22.25"
BL2600-1800C-20	Steel	"L"	19.75"	6.00"	27.25"

FUEL CAPS

We stock a large selection of fuel caps for diesel fuel tank applications. Contact us today to learn more about our complete diesel fuel tank cap offering.



FEATURES

- Corrosion-resistant aluminum or brass construction

Other locking and non-locking fuel caps available
— call 216.771.8265 or visit clevelandtank.com for details.

Part #	Fuel Cap Material	Diameter Nominal	Male/Female	Threads Per Inch	Locking
FC01015	Aluminum	4.00"	Female	8	No
FC01404	Aluminum	4.00"	Female	8	Yes
FC01683	Aluminum	2.00"	Female	11.25	No
FC1002	Brass	4.25"	Male	8	No
FC1003	Brass	4.25"	Male	8	Yes
FC1005	Brass	4.00"	Female	8	No
FC1008	Brass	2.00"	Female	11.5	No
FC1010	Brass	2.125"	Male	12	No
FC1012	Brass	2.00"	Female	11.5	Yes
FC1349AD	Aluminum	3.00"	Female	8	No



Your source for **hydraulic fluid tanks.**

At Cleveland Tank, our team's engineering and manufacturing capabilities reach beyond diesel fuel tanks to include hydraulic fluid tanks and reservoirs. Our team can develop a hydraulic storage tank specific to your application's requirements. From mass produced to one-off, we can do it all. Contact us today to find out more.

MASS PRODUCED OEM TANKS

Whether your OEM application requires a standard or complex tank, we work closely with you to ensure your application receives a high-quality, leak-free hydraulic tank with a perfect fit.



ONE-OFF CUSTOM TANKS

For unique tank needs, our engineering team will design a custom tank solution and work with you throughout the entire project to ensure you receive a high-quality finished product.



Contact us at **216.771.8265** to learn more about our **hydraulic tank capabilities.**