



# CLEVELAND TANK



**DIESEL • HYDRAULIC • CUSTOM • OEM**



## We are **CLEVELAND TANK.**

Based in Cleveland, Ohio, Cleveland Tank designs and manufactures high-quality diesel fuel and hydraulic fluid tanks for aftermarket, OEM and custom applications.

All tanks are carefully engineered in-house for a precise fit and crafted by skilled local tradesmen to ensure exceptional quality and performance.


With a strong focus on innovation, reliability and unmatched service, we deliver products and solutions that consistently exceed expectations.

# The CLEVELAND TANK Difference



## CUSTOMER SERVICE

At Cleveland Tank, we are committed to delivering exceptional customer service. Whether you have a question about product availability or need assistance with a complete custom tank development project, our team is ready to provide expert guidance and support every step of the way.



## IN-HOUSE ENGINEERS

Having an in-house team of engineers gives us a significant advantage over other tank manufacturers. Their expertise helps reduce costs, shorten lead times, provide project flexibility and ensures our customers receive high-quality, long-lasting tanks with a precise, perfect fit.



## IN-STOCK INVENTORY

Our in-stock inventory and JIT programs are designed to meet your immediate needs. All diesel tanks are DOT-certified and regularly stocked, and we carry a full range of installation and mounting accessories. Best of all, in-stock items ship within 48 hours for fast, reliable delivery.



## MADE IN THE USA

Located in Cleveland, Ohio, our tanks are proudly made in the USA. From design and engineering to fabrication and welding, every step of the process is completed by hand at our Cleveland facility, resulting in high-quality tanks built to last.

## TABLE OF CONTENTS

|                      |   |
|----------------------|---|
| OEM Tanks .....      | 4 |
| Hydraulic Tanks..... | 5 |
| Custom Tanks .....   | 6 |

|                         |   |
|-------------------------|---|
| Direct-Fit Diesel Tanks |   |
| Blue Bird .....         | 7 |
| Chevy/GMC .....         | 7 |
| Ford .....              | 7 |
| Freightliner.....       | 8 |
| IC Bus.....             | 8 |
| International .....     | 9 |
| Mack .....              | 9 |
| Thomas.....             | 9 |

|                        |    |
|------------------------|----|
| Universal Diesel Tanks |    |
| Cylindrical .....      | 10 |
| D-Shape .....          | 11 |
| Rectangular .....      | 12 |
| Step .....             | 13 |

|                         |    |
|-------------------------|----|
| Diesel Tank Parts       |    |
| Mounting Kits .....     | 14 |
| Mounting Brackets.....  | 15 |
| Mounting Straps .....   | 16 |
| Rubber Insulators ..... | 17 |
| Fuel Caps .....         | 17 |

|                       |    |
|-----------------------|----|
| Hydraulic Tank Parts  |    |
| Filter Elements ..... | 18 |
| Filter Heads.....     | 18 |
| Filler Breathers..... | 19 |
| Strainers.....        | 19 |

**CLEVELAND TANK & SUPPLY**  
15 HEMISPHERE WAY  
BEDFORD, OH 44146

# OEM TANKS

Cleveland Tank is a premier supplier to original equipment and specialty manufacturers across the United States. As a leading producer of diesel fuel and hydraulic tanks, we deliver high-quality products, on-time shipping and expert service. From concept to finished product, our experienced team can develop a tank for any of the applications shown below—and more—helping you reduce costs while ensuring quality and reliability. Contact us today and let our experts design a solution for you!



**AGRICULTURE**



**AIRPORT SERVICE**



**BOX TRUCK**



**CEMENT/CONCRETE**



**CONSTRUCTION**



**DUMP TRUCK**



**EMERGENCY**



**GOVERNMENT**



**HYDRAULIC**



**MARINE**



**MOTORHOME**



**OIL & NATURAL GAS**



**PRESSURE WASHER**



**RAILROAD**



**REFUSE/GARBAGE**



**SCHOOL BUS**



**SEMI-TRUCK**



**SERVICE & UTILITY**



**SNOW REMOVAL**



**STREET SWEEPER**



## Your source for **hydraulic fluid tanks.**

At Cleveland Tank, our engineering and manufacturing expertise extends beyond diesel fuel tanks to include hydraulic fluid tanks and reservoirs. We can design and build a hydraulic storage tank tailored to your specific application—whether it's a mass-produced model or a one-off custom solution.

### MASS PRODUCED OEM TANKS

---

Whether your OEM application calls for a standard or highly complex tank, we work closely with you to deliver a high-quality, leak-free hydraulic tank with a precise, perfect fit.



### ONE-OFF CUSTOM TANKS

---

For unique tank needs, our expert engineering team creates custom solutions and guides you through every step to deliver a high-quality, ready-to-use finished product.





## Custom-designed **diesel fuel tanks.**

For unique diesel fuel tank needs, rely on Cleveland Tank's engineering team to deliver creative, cost-effective custom designs. Our full-service approach spans the entire project—from concept and design to production. All tanks are proudly made in the USA and ready for FMCSA certification.

### ENGINEERING

Our in-house engineering team is always ready to provide creative design support, tackle complex challenges and deliver innovative solutions. We can quickly design tanks and tank mounting accessories that integrate seamlessly and proudly into your product offerings.

### MANUFACTURING

With more than 35 years of manufacturing experience, we have developed advanced production techniques and offer a wide variety of materials to meet your needs. We can also produce any mounting bracket, mounting strap or hardware required for your project.

### CERTIFYING

We design and manufacture diesel tanks in full compliance with all applicable regulations. With extensive experience in side-mount and non-side-mount certifications, we can perform the required drop testing to certify new designs to FMCSA standards.

### FINISHING

We have developed advanced in-house powder coating and acid wash processes to ensure superior durability and corrosion resistance. Our industry-leading experts consistently deliver high-quality, long-lasting finishes on all tanks, helping protect your equipment.

## Biodiesel tank **solutions.**

At Cleveland Tank, we specialize in advanced biodiesel tank solutions! When a leading OEM came to us with a complex challenge, our skilled engineers and technicians designed a custom 2-in-1 aluminum tank. Featuring two completely separate chambers—one for diesel and one for biodiesel—this tank fits perfectly in the OEM's application. Cleveland Tank's expertise ensures innovative, reliable solutions for even the most demanding biodiesel fuel applications.



# Direct-fit diesel tanks **for the top makes.**

Cleveland Tank's direct-fit, DOT-approved diesel tanks install with no cutting, drilling or modification—and are backed by decades of OEM cross-referencing experience. In stock and ready to ship, so you can minimize downtime.

## FEATURES

- Heavy-duty steel with durable gloss black powder coat finish
- Lightweight aluminum with acid etched bright natural finish

## INCLUDED ITEMS

- Rollover protection vent
- Fuel cap and vent tubing
- Drawtube and return
- Sending unit flange

## OPTIONS

- Sending unit
- Sight gauge
- Drain check valve
- Locking fuel cap

## BLUE BIRD

| Part #       | OEM #                                           | Gallons | Length | Width  | Height | Notes                   |
|--------------|-------------------------------------------------|---------|--------|--------|--------|-------------------------|
| RS1445LC-50  | 10058732, 1667682                               | 45      | 39.00" | 20.50" | 14.50" | Side/outside frame      |
| RS1460RC-50  | —                                               | 60      | 52.50" | 20.50" | 14.50" | Note fill neck location |
| RS1460LC-50  | 00068148, 10049447, 15314177, 1667690, 1667716  | 60      | 52.50" | 20.50" | 14.50" | Note fill neck location |
| RS1460LC-52  | 00068146, 10019906, 10049447, 15314177, 1667690 | 60      | 52.50" | 20.50" | 14.25" | Side/outside frame      |
| RS1460LC-53  | 00049389, 00067239, 10015137, 10058860          | 60      | 52.50" | 20.50" | 14.25" | Non-side/inside frame   |
| RS1490LC-50  | 1997642                                         | 90      | 80.00" | 20.50" | 14.00" | —                       |
| RS1490CC-50  | 1667732, 4010823                                | 90      | 80.00" | 20.50" | 14.00" | —                       |
| RS14100LC-50 | 00049387, 1997501                               | 100     | 91.00" | 20.50" | 14.00" | Non-side/inside frame   |
| RS14100RC-50 | 10058733                                        | 100     | 91.00" | 20.50" | 14.25" | Non-side/inside frame   |
| RS14100LC-52 | 00067240, 10015138                              | 100     | 91.00" | 20.50" | 14.25" | Non-side/inside frame   |
| RS22100LC-50 | 00068151, 1935493                               | 100     | 57.75" | 20.50" | 22.00" | Non-side/outside frame  |

## CHEVY/GMC

| Part #        | OEM #                       | Gallons | Length | Width  | Height | Notes          |
|---------------|-----------------------------|---------|--------|--------|--------|----------------|
| RS1528RC-51   | 15129739                    | 28      | 21.00" | 24.00" | 15.00" | Passenger side |
| RS1131LC-50   | 15129721                    | 31      | 34.00" | 23.00" | 11.00" | Drive side     |
| RS1139RC-52   | 20904796                    | 39      | 39.00" | 23.00" | 11.00" | Passenger side |
| RS1550LC-50   | 19178892, 1919772, 20904785 | 50      | 37.00" | 25.00" | 15.00" | Passenger side |
| RS1550RC-51   | 20904792                    | 50      | 37.00" | 25.00" | 15.00" | Driver side    |
| RS1950ISLC-20 | 12382967                    | 60      | 30.50" | 26.00" | 19.00" | Driver side    |
| RS1950ISRC-20 | 12382967                    | 60      | 30.50" | 26.00" | 19.00" | Passenger side |

## FORD

| Part #        | OEM #                  | Gallons | Length | Width  | Height | Notes          |
|---------------|------------------------|---------|--------|--------|--------|----------------|
| RS1450ISRC-00 | 2C4Z9002EA, E5HZ9002MD | 50      | 38.50" | 25.50" | 14.00" | Driver Side    |
| DA1650LC-00   | 5C4Z9002B              | 50      | 34.50" | 25.25" | 16.50" | Passenger side |
| DA1970RC-00   | F5HZ9002GA             | 70      | 40.00" | 25.25" | 19.25" | Driver side    |
| DA1970LC-00   | FOHT9002AA             | 70      | 40.00" | 25.25" | 19.25" | Passenger Side |

# DIRECT-FIT DIESEL TANKS

## FREIGHTLINER

| Part #       | OEM #                                                                     | Gallons | Length | Width  | Height | Notes          |
|--------------|---------------------------------------------------------------------------|---------|--------|--------|--------|----------------|
| RS1745RC-20* | A03-23537-009, A03-24002-000, A03-24283-009, A03-25416-001                | 45      | 38.00" | 18.00" | 17.50" | Driver side    |
| RS1745LC-20* | A03-23537-005, A03-23537-009, A03-23537-012, A03-23537-013, A03-32477-002 | 45      | 38.00" | 18.00" | 17.50" | Passenger side |
| RS1345RC-51  | A03-23537-002, A03-23537-006                                              | 45      | 46.00" | 25.25" | 15.50" | Passenger side |
| RS1345LC-51  | A03-23537-014                                                             | 45      | 57.00" | 18.00" | 13.00" | Driver side    |
| RS1775RC-20* | A03-23537-003, A03-324277-000, A03-324277-002                             | 75      | 64.00" | 18.00" | 18.00" | Driver side    |
| RS1775LC-20* | A03-24686-007, A03-32427-003                                              | 75      | 64.00" | 18.00" | 18.00" | Passenger side |

\*Aluminum version also available—visit [clevelandtank.com](http://clevelandtank.com) or call for details.

## IC BUS

| Part #       | OEM #                                                                                                      | Gallons | Length | Width  | Height | Notes                  |
|--------------|------------------------------------------------------------------------------------------------------------|---------|--------|--------|--------|------------------------|
| RS1318LC-50  | 4251199C1                                                                                                  | 18      | 19.75" | 20.00" | 13.00" | Driver side            |
| RS1335LC-50  | 2507574C91                                                                                                 | 35      | 36.00" | 20.00" | 13.00" | Side/outside frame     |
| RS1335LC-51  | 2014747C92                                                                                                 | 35      | 36.00" | 20.00" | 13.00" | Side/outside frame     |
| RS1360LC-50  | 2014748C92, 2014748C93, 2507578C92, 3549884C91, 3549884C92, 3549884C93, 3549884C94, 3579021C92, 3579021C97 | 60      | 66.00" | 20.00" | 13.00" | Side/outside frame     |
| RS1540CC-50  | 4121690C91, 4048869C95                                                                                     | 40      | 28.75" | 25.00" | 15.50" | —                      |
| RS1540CC-51  | 6123653C93                                                                                                 | 40      | 28.75" | 25.00" | 15.50" | —                      |
| RS1550RC-20  | 3518816C91                                                                                                 | 50      | 37.00" | 25.00" | 15.00" | Driver side            |
| RS1565CC-52  | 3596529C94                                                                                                 | 65      | 45.00" | 25.00" | 15.25" | Non-side/outside frame |
| RS1565RC-50  | 2586534C92, 2586534C93                                                                                     | 65      | 46.00" | 25.25" | 15.50" | Non-side/outside frame |
| RS1565RC-51  | 2507579C91                                                                                                 | 65      | 46.00" | 25.25" | 15.50" | Non-side/outside frame |
| RS1565RC-52  | 3556525C92                                                                                                 | 65      | 46.00" | 25.25" | 15.50" | Between frame rails    |
| RS1565RC-53  | 3582519C93                                                                                                 | 65      | 46.00" | 25.25" | 15.50" | Between frame rails    |
| RS1565RC-54  | 4032974C92                                                                                                 | 65      | 46.00" | 25.25" | 15.50" | Driver side            |
| RS1565RC-55  | 4032955C91, 4032955C92                                                                                     | 65      | 46.00" | 25.25" | 15.50" | Driver side            |
| RS1565CC-53  | 4108255C91, 4108255C92, 4108255C93                                                                         | 65      | 46.50" | 25.25" | 15.50" | Non-side/outside frame |
| RS1565CC-20  | 2588007C92, 2588007C93, 3518816C92, 3518818C92                                                             | 65      | 47.50" | 25.00" | 15.25" | Non-side/inside frame  |
| RS1565CC-21  | 556524C92, 3556524C93, 3596529C92                                                                          | 65      | 47.50" | 25.00" | 15.25" | Non-side/outside frame |
| RS15100CC-21 | 2512589C91, 3512958C91, 3566369C91, 3584274C93, 3596530C92                                                 | 100     | 72.00" | 25.00" | 15.25" | Non-side/inside frame  |
| RS15100CC-51 | 2017710C92, 3586922C92, 3596530C92                                                                         | 100     | 72.00" | 25.00" | 15.25" | Non-side/outside frame |
| RS15100LC-51 | 4137183C91                                                                                                 | 100     | 72.00" | 25.00" | 15.25" | Passenger side fill    |
| RS15100CC-54 | 3596530C91, 3596530C92                                                                                     | 100     | 72.00" | 25.00" | 15.25" | Non-side/outside frame |
| RS15100CC-57 | 4033008C91, 4033008C92, 4033008C93                                                                         | 100     | 72.00" | 25.00" | 15.25" | Non-side/outside frame |
| RS15100CC-58 | 40361006C91, 403106C92                                                                                     | 100     | 72.00" | 25.00" | 15.25" | Between frame rails    |

## INTERNATIONAL

| Part #        | OEM #                                               | Gallons | Length | Width  | Height | Notes          |
|---------------|-----------------------------------------------------|---------|--------|--------|--------|----------------|
| DA1950RC-50   | 2507021C93                                          | 50      | 28.00" | 25.00" | 19.00" | Passenger side |
| DA1650RC-00   | 2506439C92, 3546876C93,                             | 50      | 34.50" | 25.25" | 16.50" | Driver side    |
| DA1650LC-00   | 2506434C91, 3534390C94,                             | 50      | 34.50" | 25.25" | 16.50" | Passenger side |
| RS1550ISRC-20 | 1606030C93, 1607104C94,<br>1661790C92, 1661790C93   | 50      | 37.00" | 25.00" | 15.25" | Driver side    |
| RS1550ISLC-00 | 1661790C91, 1661790C92,<br>1661790C93, 3518818C91   | 50      | 37.00" | 25.00" | 15.25" | Passenger side |
| RS1550LC-20   | 3518816C92, 3518818C92,<br>3518915C91, 3518915P92   | 50      | 37.00" | 25.00" | 15.25" | Passenger side |
| DA1970LC-00   | 2506435C92, 2588404C92                              | 70      | 40.00" | 25.25" | 19.25" | Passenger side |
| DA1970LC-51   | 2506435C92, 2588404C92,<br>3546872F92               | 70      | 40.00" | 25.25" | 19.25" | Passenger side |
| DA1970RC-00   | 1661790C91, 2506440C92,<br>25006440C93, 35344004C92 | 70      | 40.00" | 25.25" | 19.25" | Driver side    |
| RS1775RC-20   | 3518818C91, 3518818C92                              | 75      | 64.00" | 18.00" | 17.50" | Driver side    |
| DA19105LC-50  | 3539707C93                                          | 105     | 61.00" | 25.00" | 19.00" | Driver side    |
| DA19105RC-50  | 3539707C93                                          | 105     | 61.00" | 25.00" | 19.00" | Passenger side |

## MACK

| Part #      | OEM #      | Gallons | Length | Width  | Height | Notes                  |
|-------------|------------|---------|--------|--------|--------|------------------------|
| CA2250CC-54 | 2MB4107AP2 | 50      | 34.00" | 22.00" | —      | Cylindrical side mount |
| CA2470CC-51 | —          | 60      | 38.50" | 24.00" | —      | Cylindrical side mount |
| RA1570LC-50 | —          | 80      | 38.00" | 18.00" | 17.50" | —                      |
| RA2480CC-50 | —          | 80      | 38.00" | 18.00" | 17.50" | —                      |

## THOMAS

| Part #       | OEM #                                                        | Gallons | Length | Width  | Height | Notes                 |
|--------------|--------------------------------------------------------------|---------|--------|--------|--------|-----------------------|
| RS1331LC-51  | A03-34334-000                                                | 30      | 35.00" | 18.00" | 13.00" | —                     |
| RS1535CC-50  | A03-34726-002, 03-37205-002                                  | 35      | 25.75" | 24.75" | 15.00" | —                     |
| RS1755CC-52  | 0323537009, 61270357                                         | 55      | 38.00" | 22.00" | 17.00" | Non-side/inside frame |
| RS1660CC-50  | 61270246, 61270470                                           | 60      | 40.00" | 23.00" | 16.00" | Non-side/inside frame |
| RS1660CC-52  | 164671                                                       | 60      | 40.00" | 23.00" | 16.00" | Between frame rails   |
| RS1660CC-53  | 164971                                                       | 60      | 40.00" | 23.00" | 16.00" | Between frame rails   |
| RS1560CC-20  | A03-34721-001, 03-32879-000,                                 | 60      | 43.50" | 25.00" | 15.25" | Non-side/inside frame |
| RS1560CC-21  | A03-34725-001, A03-37205-001,<br>03-33977-001, 03-34726-001, | 60      | 43.50" | 25.00" | 15.25" | —                     |
| RS1560CC-53  | 03-38632-001, 03-42969-001                                   | 60      | 43.00" | 25.00" | 15.00" | Between frame rails   |
| RS1560CC-54  | A03-45358-001                                                | 60      | 43.00" | 25.00" | 15.00" | Between frame rails   |
| RS1362LC-50  | A03-24712-002, A03-34334-001                                 | 62      | 75.00" | 18.00" | 13.00" | Side/outside frame    |
| RS15100CC-20 | 33472000, 03-347127-000                                      | 100     | 72.00" | 25.00" | 15.25" | Non-side/inside frame |
| RS15100CC-53 | A03-37205-000, A03-45358-000,<br>03-34726-000, 03-38632-000  | 100     | 43.50" | 25.00" | 15.25" | —                     |
| RS22100CC-51 | 61270458                                                     | 100     | 49.50" | 23.00" | 22.00" | Non-side/inside frame |
| RS22100CC-54 | 167004, 61272183                                             | 100     | 49.50" | 23.00" | 22.00" | Between frame rails   |
| RS22100CC-56 | 61272184                                                     | 100     | 49.50" | 23.00" | 22.00" | Between frame rails   |
| RS16100CC-50 | 61270471                                                     | 100     | 66.00" | 24.00" | 16.00" | Non-side/inside frame |
| RS16100CC-52 | 164675                                                       | 100     | 66.00" | 24.00" | 16.00" | Non-side/inside frame |

# UNIVERSAL DIESEL TANKS

## CYLINDRICAL



Our aftermarket cylindrical diesel fuel tanks feature a universal design that fits most driver- or passenger-side installations and are available in high-strength steel or lightweight aluminum. Steel tanks are made from premium-grade steel with a durable black powder coat finish, while aluminum tanks offer corrosion-resistant construction with a bright acid wash finish. DOT-approved and always in stock, Cleveland Tank's cylindrical tanks are ready for immediate shipment, providing a reliable, installation-ready solution.

### FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

### INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Sending unit flange

### OPTIONS

- Sending unit
- Sight gauge
- Locking fuel cap
- Drain check valve
- Equalizer fittings

| Part #       | Material | Gallons | Weight   | Length | Diameter | Mounting Kit Part # |
|--------------|----------|---------|----------|--------|----------|---------------------|
| CA1635CC-20  | Aluminum | 35      | 35 lbs.  | 41.00" | 16.00"   | KJ16-S-2            |
| CA2250CC-00  | Aluminum | 50      | 65 lbs.  | 34.00" | 22.00"   | KJ22-S-2            |
| CA2250CC-54  | Aluminum | 50      | 65 lbs.  | 34.00" | 22.00"   | KJ22-S-2            |
| CA2460CC-00  | Aluminum | 60      | 60 lbs.  | 34.00" | 24.00"   | KJ24-S-2            |
| CA2675CC-00  | Aluminum | 75      | 60 lbs.  | 35.00" | 26.00"   | KJ26-S-2            |
| CA2680CC-55  | Aluminum | 80      | 52 lbs.  | 38.00" | 26.00"   | KJ26-S-2            |
| CA26100CC-00 | Aluminum | 100     | 100 lbs. | 46.50" | 26.00"   | KJ26-S-3            |
| CA24100CC-00 | Aluminum | 100     | 100 lbs. | 56.00" | 24.00"   | KJ24-S-3            |
| CS1635CC-00  | Steel    | 35      | 85 lbs.  | 35.00" | 16.00"   | KJ16-S-2            |
| CS2250CC-00  | Steel    | 50      | 100 lbs. | 35.00" | 22.00"   | KJ22-S-2            |
| CS2460CC-00  | Steel    | 60      | 110 lbs. | 35.00" | 24.00"   | KJ24-S-2            |
| CS1660LC-50  | Steel    | 60      | 135 lbs. | 72.00" | 16.00"   | KJ16-S-2            |
| CS2675CC-01  | Steel    | 75      | 130 lbs. | 36.00" | 26.00"   | KJ26-S-2            |
| CS24100CC-00 | Steel    | 100     | 175 lbs. | 56.00" | 24.00"   | KJ24-S-3            |

## D-SHAPE



We stock a complete line of aftermarket D-shape diesel fuel tanks. With a universal design, these DOT-approved tanks fit most driver- or passenger-side applications and are available in a variety of capacities to meet a wide range of needs. Constructed from high-strength, corrosion-resistant aluminum with a bright acid wash finish, D-tanks provide significant weight savings over comparable steel models. Always in stock, they offer a durable, hassle-free solution that gets your vehicle back on the road quickly.

### FEATURES

- Lightweight, corrosion-resistant aluminum construction
- Bright acid etched finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

### INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Sending unit flange

### OPTIONS

- Locking fuel cap
- Drain check valve
- Equalizer fittings

| Part #       | Gallons | Tank Location  | Weight  | Length | Width  | Height |
|--------------|---------|----------------|---------|--------|--------|--------|
| DA1650RC-00  | 50      | Driver side    | 40 lbs. | 34.50" | 25.25" | 16.50" |
| DA1650LC-00  | 50      | Passenger side | 40 lbs. | 34.50" | 25.25" | 16.50" |
| DA1950RC-50  | 50      | Passenger side | 50 lbs. | 28.00" | 25.00" | 19.00" |
| DA1970RC-00  | 70      | Driver side    | 60 lbs. | 40.00" | 25.25" | 16.50" |
| DA1970LC-00  | 70      | Passenger side | 60 lbs. | 40.00" | 25.25" | 16.50" |
| DA19105LC-00 | 105     | Driver side    | 80 lbs. | 61.00" | 25.00" | 19.00" |
| DA19105RC-50 | 105     | Passenger side | 80 lbs. | 61.00" | 25.00" | 19.00" |

## Replacement diesel tanks for Freightliner FL-Series trucks.

We carry a large selection of DOT-certified diesel fuel tanks for popular Freightliner FL-Series trucks. Available in aluminum or steel, our tanks are designed to replace original tanks where the steps were bolted into the tank. By eliminating the tank through bolt, our tanks reduce premature leaking, rusting and paint blisters. Turn to **page 8** or contact our team for more information today.



# UNIVERSAL DIESEL TANKS

## RECTANGULAR



Cleveland Tank's aftermarket rectangular diesel fuel tanks offer the perfect replacement tank for a wide variety of applications. Rectangular tanks are DOT-approved, feature a universal design that will fit hundreds of different vehicles and are available in various dimensions, volumes and configurations. Rectangle-shaped tanks come in your choice of high-grade steel with a corrosion-resistant black powder coat finish or light-weight aluminum with a bright acid wash finish. Plus, all rectangular tanks are always in stock and available for immediate shipment.

### FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

### INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Sending unit flange

### OPTIONS

- Locking fuel cap
- Drain check valve
- Equalizer fittings

| Part #       | Material | Gallons | Tank Location       | Weight   | Length | Width  | Height | Mounting Kit Part # |
|--------------|----------|---------|---------------------|----------|--------|--------|--------|---------------------|
| RA1745LC-20  | Aluminum | 45      | Driver side         | 80 lbs.  | 38.00" | 18.00" | 18.00" | KL1745-S            |
| RA1745RC-20  | Aluminum | 45      | Passenger side      | 80 lbs.  | 38.00" | 18.00" | 18.00" | KL1745-S            |
| RA1775LC-20  | Aluminum | 75      | Passenger side      | 100 lbs. | 64.00" | 18.00" | 18.00" | KL1775-S            |
| RA1775RC-20  | Aluminum | 75      | Driver side         | 100 lbs. | 64.00" | 18.00" | 18.00" | KL1775-S            |
| RS1130CC-00  | Steel    | 30      | Between frame rails | 80 lbs.  | 28.00" | 24.00" | 11.00" | KL1130-S            |
| RS1745RC-20  | Steel    | 45      | Driver side         | 100 lbs. | 38.00" | 18.00" | 18.00" | KL1745-S            |
| RS1745LC-20  | Steel    | 45      | Passenger side      | 100 lbs. | 38.00" | 18.00" | 18.00" | KL1745-S            |
| RS1550RC-20  | Steel    | 50      | Driver side         | 120 lbs. | 37.00" | 25.00" | 15.00" | KL1550-S-B          |
| RS1550LC-50  | Steel    | 50      | Passenger side      | 120 lbs. | 37.00" | 25.00" | 15.00" | KL1550-S-B          |
| RS1450CC-00  | Steel    | 50      | Between frame rails | 125 lbs. | 38.50" | 25.50" | 14.00" | KL1450-S-B          |
| RS1755CC-52  | Steel    | 55      | Driver side         | 120 lbs. | 38.00" | 22.00" | 17.00" | KL1745-S            |
| RS1670CC-01  | Steel    | 70      | Between frame rails | 145 lbs. | 46.25" | 24.00" | 16.00" | KL1670-S-B          |
| RS1775LC-20  | Steel    | 75      | Passenger side      | 135 lbs. | 64.00" | 18.00" | 18.00" | KL1775-S            |
| RS1775RC-20  | Steel    | 75      | Driver side         | 135 lbs. | 64.00" | 18.00" | 18.00" | KL1775-S            |
| RS24100CC-01 | Steel    | 100     | Between frame rails | 182 lbs. | 44.00" | 24.00" | 24.00" | KL24100-S-2         |

## STEP



Cleveland Tank carries a broad range of aftermarket replacement diesel fuel tanks with built-in or attached steps. These DOT-approved tanks feature a universal design that fits most driver- or passenger-side applications and are available in steel or aluminum. Steel tanks are made from high-grade steel with a durable black powder coat finish, while aluminum tanks provide a lightweight, corrosion-resistant option with a bright acid wash finish. Always in stock, our step fuel tanks are ready for immediate shipment, offering a reliable and convenient solution for your fleet.

### FEATURES

- Lightweight, corrosion-resistant aluminum tanks come with a bright acid etched finish
- Heavy-duty steel tanks come with a durable gloss black powder coat finish
- Pressure tested for leaks
- For use with diesel fuel
- DOT-approved

### INCLUDED ITEMS

- Rollover protection vent
- Vent tubing
- Fuel cap
- Drawtube
- Return
- Sending unit flange

### OPTIONS

- Locking fuel cap
- Drain check valve
- Equalizer fittings

| Part #        | Material | Gallons | Tank Location  | Weight   | Length | Width  | Height | Mounting Kit Part # |
|---------------|----------|---------|----------------|----------|--------|--------|--------|---------------------|
| RA1550ISRC-50 | Aluminum | 50      | Driver side    | 120 lbs. | 37.00" | 25.00" | 15.25" | KL1550-S            |
| RA1550ISLC-50 | Aluminum | 50      | Passenger side | 120 lbs. | 37.00" | 25.00" | 15.25" | KL1550-S-B          |
| RS1950ISLC-20 | Steel    | 50      | Driver side    | 120 lbs. | 30.00" | 26.00" | 19.00" | KL1950-S            |
| RS1950ISRC-20 | Steel    | 50      | Passenger side | 120 lbs. | 30.00" | 26.00" | 19.00" | KL1950-S            |
| RS1550RC-51   | Steel    | 50      | Driver side    | 120 lbs. | 37.00" | 25.00" | 15.00" | KL1950-S            |
| RS1550LC-50   | Steel    | 50      | Passenger side | 120 lbs. | 37.00" | 25.00" | 15.00" | KL1950-S            |
| RS1550ISRC-20 | Steel    | 50      | Driver side    | 125 lbs. | 37.00" | 25.00" | 15.25" | KL1550-S-B          |
| RS1550ISLC-00 | Steel    | 50      | Passenger side | 125 lbs. | 37.00" | 25.00" | 15.25" | KL1550-S-B          |
| RS1450ISRC-00 | Steel    | 50      | Driver side    | 125 lbs. | 38.50" | 25.50" | 14.00" | KL1450-S-B          |
| RS1850ISRC-55 | Steel    | 50      | Driver side    | 125 lbs. | 42.00" | 20.25" | 18.00" | KL1850-S            |
| RS1675ISRC-00 | Steel    | 75      | Passenger side | 145 lbs. | 52.00" | 24.00" | 16.00" | KL1670-S-B          |
| RS1675ISLC-00 | Steel    | 75      | Driver side    | 145 lbs. | 52.00" | 24.00" | 16.00" | KL1670-S-B          |

Shop our complete tank selection on [clevelandtank.com](http://clevelandtank.com) today!

# DIESEL TANK PARTS

## MOUNTING KITS

Cleveland Tank's mounting kits are cost effective solutions to over priced kits from the dealer and incomplete kits from salvage yards. Our all-in-one kits come complete with everything you need to install your diesel fuel tank. Kits include mounting brackets, mounting straps and rubber insulators.

### FEATURES

- Steel brackets have a durable black powder coat finish
- Brackets available in J-style or L-style configurations
- Include steel or stainless steel mounting straps
- Come with rubber insulators for brackets and straps
- Rubber insulators come in a 10 ft. roll



| Part #       | Bracket Material | Bracket Style | Bracket Qty. | Bracket Insulator Qty. | Strap Material  | Strap Qty. | Strap Insulator Qty. | Notes               |
|--------------|------------------|---------------|--------------|------------------------|-----------------|------------|----------------------|---------------------|
| KJ16-S-1     | Steel            | J             | 1            | 1                      | Steel           | 1          | 1                    | Fits 16" dia. tanks |
| KJ16-SS-1    | Steel            | J             | 1            | 1                      | Stainless Steel | 1          | 1                    | Fits 16" dia. tanks |
| KJ16-S-2     | Steel            | J             | 2            | 1                      | Steel           | 2          | 1                    | Fits 16" dia. tanks |
| KJ16-SS-2    | Steel            | J             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 16" dia. tanks |
| KJ22-S-2     | Steel            | J             | 2            | 1                      | Steel           | 2          | 1                    | Fits 22" dia. tanks |
| KJ22-S-3     | Steel            | J             | 3            | 2                      | Steel           | 3          | 2                    | Fits 22" dia. tanks |
| KJ22-SS-2    | Steel            | J             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 22" dia. tanks |
| KJ22-SS-3    | Steel            | J             | 3            | 2                      | Stainless Steel | 3          | 2                    | Fits 22" dia. tanks |
| KJ24-S-2     | Steel            | J             | 2            | 1                      | Steel           | 2          | 1                    | Fits 24" dia. tanks |
| KJ24-S-3     | Steel            | J             | 3            | 2                      | Steel           | 3          | 2                    | Fits 24" dia. tanks |
| KJ24-SS-2    | Steel            | J             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 24" dia. tanks |
| KJ24-SS-3    | Steel            | J             | 3            | 2                      | Stainless Steel | 3          | 2                    | Fits 24" dia. tanks |
| KJ26-S-2     | Steel            | J             | 2            | 1                      | Steel           | 2          | 1                    | Fits 26" dia. tanks |
| KJ26-SS-2    | Steel            | J             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 26" dia. tanks |
| KL1130-S     | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 11" high tanks |
| KL1130-SS    | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 11" high tanks |
| KL1450-S-B   | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 14" high tanks |
| KL1450-SS-B  | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 14" high tanks |
| KL1550-S-B   | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 15" high tanks |
| KL1550-SS-B  | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 15" high tanks |
| KL1670-S-B   | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 16" high tanks |
| KL1670-SS-B  | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 16" high tanks |
| KL1850-S     | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 18" high tanks |
| KL1850-SS    | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 18" high tanks |
| KL1950-S     | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 19" high tanks |
| KL1950-SS    | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 19" high tanks |
| KL24100-S-2  | Steel            | L             | 2            | 1                      | Steel           | 2          | 1                    | Fits 24" high tanks |
| KL24100-SS-2 | Steel            | L             | 2            | 1                      | Stainless Steel | 2          | 1                    | Fits 24" high tanks |

## MOUNTING BRACKETS

Cleveland Tank offers heavy-duty, cost-effective fuel tank mounting brackets designed to fit hundreds of applications across a wide range of equipment. Engineered for strength and long-lasting reliability, these brackets ensure a secure, vibration-resistant fit while making installation faster, easier and completely hassle-free.

### FEATURES

- Brackets available in J-style, L-style or cradle
- Heavy-duty steel construction
- Durable gloss black powder coat finish



| Part #          | Bracket Style | Length | Width | Height | Notes               |
|-----------------|---------------|--------|-------|--------|---------------------|
| BJ16C-20        | J             | —      | 5.00" | 19.00" | Fits 16" dia. tanks |
| BJ22C-20        | J             | —      | 5.00" | 23.50" | Fits 22" dia. tanks |
| BJ24C-20        | J             | —      | 5.00" | 27.00" | Fits 24" dia. tanks |
| BJ26C-20        | J             | —      | 5.00" | 28.00" | Fits 26" dia. tanks |
| BJ28C-20        | J             | —      | 5.00" | 30.00" | Fits 28" dia. tanks |
| BL1475-1975C-20 | L             | 19.75" | 6.00" | 14.75" | Fits 11" high tanks |
| BL1600-1913C-20 | L             | 21.00" | 6.00" | 17.75" | Fits 14" high tanks |
| BL1800-1800C-20 | L             | 19.75" | 6.00" | 19.75" | Fits 16" high tanks |
| BL1900-2050C-20 | L             | 20.50" | 6.00" | 19.00" | Fits 15" high tanks |
| BL2000-1519C-20 | L             | 17.00" | 6.00" | 21.75" | Fits 18" high tanks |
| BL2225-2125C-00 | L             | 21.25" | 6.00" | 22.25" | Fits 19" high tanks |
| BL2600-1800C-20 | L             | 19.75" | 6.00" | 27.25" | Fits 24" high tanks |
| NEW! BCR20C-00* | Cradle        | 22.75" | 3.50" | 8.00"  | Fits 20" dia. tanks |
| NEW! BCR22C-50* | Cradle        | 24.00" | 3.50" | 9.00"  | Fits 22" dia. tanks |
| NEW! BCR26C-50* | Cradle        | 24.00" | 3.50" | 5.00"  | Fits 26" dia. tanks |
| NEW! BCR26C-51+ | Cradle        | 24.00" | 3.50" | 5.00"  | Fits 26" dia. tanks |
| NEW! BCR26C-90^ | Cradle        | 24.00" | 3.50" | 5.00"  | Fits 26" dia. tanks |
| NEW! BCR28C-00* | Cradle        | 29.75" | 3.50" | 9.00"  | Fits 28" dia. tanks |

\*Fits T-bolt/T-bolt mounting straps. +Fits T-bolt/cotter pin mounting straps. ^Fits T-bolt/welded mounting straps.

## Mounting kits with additional brackets & straps available.

Cleveland Tank also supplies complete mounting kits with 3 or 4 brackets and straps, engineered to match your specific application. These all-in-one kits are ideal for larger tanks, delivering a secure, long-lasting fit. Visit [clevelandtank.com](http://clevelandtank.com) or give us a call for more info.



# DIESEL TANK PARTS

## MOUNTING STRAPS

Cleveland Tank's high-strength fuel tank straps are hand-bent and welded for durability, and are available in steel or stainless steel. Plus, each strap includes all necessary hardware for a secure, hassle-free install.

### FEATURES

- Lengths available from 18.00" and up
- Available in 1.75", 2.00" and 3.00" widths
- Come with T-bolt and/or loop style ends
- Include zinc-plated hardware (where applicable)



| Steel Part #       | Stainless Steel Part # | Length | Width | Bolt Styles   |
|--------------------|------------------------|--------|-------|---------------|
| S3400TL200-51      | SS3400TL200-51         | 34.00" | 2.00" | T-bolt/Loop   |
| S3550TT175-00      | SS3550TT175-00         | 35.50" | 1.75" | T-bolt/T-bolt |
| S3800TL200-51      | SS3800TL200-51         | 38.00" | 2.00" | T-bolt/Loop   |
| S4225TT175-00      | SS4225TT175-00         | 42.25" | 1.75" | T-bolt/T-bolt |
| NEW! S4350TL200-50 | SS4350TL200-50         | 43.50" | 2.00" | T-bolt/Loop   |
| NEW! S4360TL200-50 | SS4360TL200-50         | 43.60" | 2.00" | T-bolt/Loop   |
| S4400TL200-50      | SS4400TL200-50         | 44.00" | 2.00" | T-bolt/Loop   |
| S4625TT175-00      | SS4625TT175-00         | 46.25" | 1.75" | T-bolt/T-bolt |
| NEW! S4660TL200-50 | SS4660TL200-50         | 46.60" | 2.00" | T-bolt/Loop   |
| NEW! S4840TT175-00 | SS4840TT175-00         | 48.40" | 1.75" | T-bolt/T-bolt |
| NEW! S4900TT175-20 | SS4900TT175-20         | 49.00" | 1.75" | T-bolt/T-bolt |
| S4900TT200-20      | SS4900TT200-20         | 49.00" | 2.00" | T-bolt/T-bolt |
| NEW! S5000TT200-00 | SS5000TT200-00         | 50.00" | 2.00" | T-bolt/T-bolt |
| S5050TT175-00      | SS5050TT175-00         | 50.50" | 1.75" | T-bolt/T-bolt |
| S5175TT175-00      | SS5175TT175-00         | 51.75" | 1.75" | T-bolt/T-bolt |
| NEW! S5300TT200-00 | SS5300TT200-00         | 53.00" | 2.00" | T-bolt/T-bolt |
| NEW! S5335TT175-00 | SS5335TT175-00         | 53.35" | 1.75" | T-bolt/T-bolt |
| S5550TT175-00      | SS5550TT175-00         | 55.50" | 1.75" | T-bolt/T-bolt |
| S5750TT175-00      | SS5750TT175-00         | 57.50" | 1.75" | T-bolt/T-bolt |
| S5800TT200-00      | SS5800TT200-00         | 58.00" | 2.00" | T-bolt/T-bolt |
| NEW! S5980TT200-00 | SS5980TT200-00         | 59.80" | 2.00" | T-bolt/T-bolt |
| NEW! S6140TT175-00 | SS6140TT175-00         | 61.40" | 1.75" | T-bolt/T-bolt |
| NEW! S6850TT200-00 | SS6850TT200-00         | 68.50" | 2.00" | T-bolt/T-bolt |

### Custom mounting straps—made-to-order.

Cleveland Tank solves fitment challenges with mounting straps custom-built for your exact application. Select the length, width, material and attachment style you need to ensure a secure, vibration-resistant installation. Scan the QR code to learn more today!



## RUBBER INSULATORS

Eliminate vibration and protect your fuel tank from chafing with these extra-thick rubber insulators. Available in multiple lengths, they can be easily cut to fit your specific needs and are compatible with both mounting straps and brackets for a secure, custom fit.



### FEATURES

- Heavy-duty, thick rubber construction
- C-channel insulators are designed for mounting straps
- Self-adhesive insulators are designed for mounting brackets

| Part #      | Length | Width | Notes               |
|-------------|--------|-------|---------------------|
| RIF1.50     | 10'    | 1.50" | Self-adhesive style |
| RIF1.50-100 | 100'   | 1.50" | Self-adhesive style |
| RI1.75-01   | 10'    | 1.75" | C-channel style     |
| RI1.75-100  | 100'   | 1.75" | C-channel style     |
| RI2.00-01   | 10'    | 2.00" | C-channel style     |
| RI2.00-100  | 100'   | 2.00" | C-channel style     |

## FUEL CAPS

Cleveland Tank offers a comprehensive selection of diesel fuel caps to fit nearly any tank. These fuel caps are designed for strength and reliable performance, helping keep fuel systems secure and leak-free.



### FEATURES

- Corrosion-resistant aluminum or brass construction
- Locking and non-locking caps available
- Select your diameter, thread type and thread size below

| Part #     | Material | Diameter | Thread Type | Threads Per Inch | Locking | Vented |
|------------|----------|----------|-------------|------------------|---------|--------|
| FC01683    | Aluminum | 2.00"    | Female      | 11.25            | No      | No     |
| FC01015    | Aluminum | 2.125"   | Female      | 8.00             | No      | No     |
| FC1349AD   | Aluminum | 3.00"    | Female      | 8.00             | No      | No     |
| FC980      | Aluminum | 3.00"    | Female      | 8.00             | Yes     | Yes    |
| FC-C-92    | Aluminum | 4.00"    | Female      | 8.00             | No      | No     |
| FC01015VNT | Aluminum | 4.00"    | Female      | 8.00             | No      | Yes    |
| FC01404    | Aluminum | 4.00"    | Female      | 8.00             | Yes     | No     |
| FC1008     | Brass    | 2.00"    | Female      | 11.50            | No      | Yes    |
| FC1012     | Brass    | 2.00"    | Female      | 11.50            | Yes     | Yes    |
| FC1010     | Brass    | 2.125"   | Male        | 12.00            | No      | Yes    |
| FC1014     | Brass    | 2.50"    | Female      | 8.00             | No      | No     |
| FC1005     | Brass    | 4.00"    | Female      | 8.00             | No      | Yes    |
| FC1002     | Brass    | 4.25"    | Male        | 8.00             | No      | No     |
| FC1003     | Brass    | 4.25"    | Male        | 8.00             | Yes     | No     |



# HYDRAULIC TANK PARTS

## FILTER ELEMENTS

Cleveland Tank stocks a full range of high-performance hydraulic filter elements designed to protect systems from contamination, extend component life and maintain peak efficiency. Filter media options include cellulose for standard filtration, AquaZorb™ for superior water absorption and Z-Glass fiberglass for high-efficiency particle removal, allowing you to select the optimal solution for your system's needs.

### FEATURES

- Spin-on style filter elements for hydraulic systems
- OEM-quality construction for reliable performance
- Direct-fit replacements for easy installation
- Wide range of micron filtration ratings available
- For use with petroleum-based fluids
- Available with cellulose, AquaZorb™ or Z-Glass™ filters



| Part #      | Filter Type | Filter Size | Max Pressure | Max Temp. | Diameter | Height | Mounting Thread | Compatible Filter Heads |
|-------------|-------------|-------------|--------------|-----------|----------|--------|-----------------|-------------------------|
| Z-SOF-AE03  | Cellulose   | 3 Micron    | 250 PSI      | 250°F     | 3.80"    | 5.80"  | 1.00"-12 UN     | ZAF Series              |
| Z-SOF-AE10  | Cellulose   | 10 Micron   | 250 PSI      | 250°F     | 3.80"    | 5.80"  | 1.00"-12 UN     | ZAF Series              |
| Z-SOF-LE10  | AquaZorb™   | 10 Micron   | 200 PSI      | 250°F     | 5.10"    | 10.90" | 1.50"-16 UN     | SF Series               |
| Z-SOF-SE10  | Cellulose   | 10 Micron   | 200 PSI      | 250°F     | 5.10"    | 6.90"  | 1.50"-16 UN     | SF Series               |
| Z-SOF-ZSE10 | Z-Glass™    | 10 Micron   | 200 PSI      | 250°F     | 5.10"    | 6.90"  | 1.50"-16 UN     | SF Series               |

## FILTER HEADS

Cleveland Tank's spin-on filter heads are engineered for reliable hydraulic system protection. Crafted from durable cast aluminum, these filter heads are designed to support various flow capacities and accommodate standard spin-on filter elements. They feature heavy-duty inlet and outlet ports, a built-in by-pass valve and an integrated gauge port for monitoring pressure. These filter heads are compatible with a wide range of filter elements (including those listed above), ensuring efficient particle contamination control.

### FEATURES

- Compatible with spin-on style filter elements
- Durable and lightweight cast aluminum construction
- Suitable for a variety of flow capacities
- Built-in by-pass valves and gauge ports
- Max operating temperature of 250°F
- Max operating pressure of 200 PSI



| Part #            | Inlet/Outlet Size | By-Pass Valve Pressure | Gauge Port Size | Flow   | Max Pressure | Max Temp. | Diameter | Height |
|-------------------|-------------------|------------------------|-----------------|--------|--------------|-----------|----------|--------|
| Z-FHD-SF120251346 | 1.25" NPT         | 25 PSI                 | .3125" NPTF     | 70 GPM | 200 PSI      | 250°F     | 5.34"    | 2.39"  |
| Z-FHD-ZAF072513   | .75" NPT          | 25 PSI                 | .3750" NPTF     | 25 GPM | 200 PSI      | 250°F     | 3.65"    | 1.52"  |

## FILLER BREATHERS

Cleveland Tank's hydraulic filler breathers are expertly engineered to provide superior, long-lasting protection for hydraulic tanks against harmful airborne contaminants. Featuring a durable aluminum or nylon cap with high-quality 10-micron foam media, they combine robust, dependable filtration with a compact design to ensure compatibility with a wide range of systems. The vent-through construction allows for quick, hassle-free installation while delivering highly efficient filtration, keeping hydraulic systems clean, reliable and performing at their best.

### FEATURES

- Protects hydraulic systems from dust and contaminants
- 10-micron foam filter media for efficient filtration
- Aluminum or nylon cap for durability
- Lockable design for secure installation
- Includes dipstick and mounting hardware for easy setup
- Compact design to fit a variety of tanks



| Part #        | Cap Material | Filter Type | Filter Size | Pressure Relief Valve | Diameter | Height |
|---------------|--------------|-------------|-------------|-----------------------|----------|--------|
| Z-FB1004000D0 | Aluminum     | Foam        | 10 Micron   | No                    | 2.11"    | 3.61"  |
| Z-FB1006000D0 | Aluminum     | Foam        | 10 Micron   | No                    | 2.11"    | 5.61"  |
| Z-FB1006000DN | Nylon        | Foam        | 10 Micron   | No                    | 2.11"    | 5.61"  |

## STRAINERS

Cleveland Tank offers a wide range of suction strainers designed to protect hydraulic system components by removing large contaminants before fluid enters critical circuits. Built from durable materials to meet OEM standards, these strainers provide reliable protection, extended service life and easy installation. Their rugged design ensures consistent performance, helping reduce downtime and maintain efficient operation.

### FEATURES

- Internal and external styles available
- Flow capacities up to 32 GPM
- Available with or without a by-pass valve opening
- Wrench flat or threaded male connection types
- Max operating temperature of 250°F



| Part #         | Strainer Style | Port Size | Wrench Flat | Male Thread | Fitting Length | By-Pass Valve | Flow @ 5 ft./sec. | Diameter | Height |
|----------------|----------------|-----------|-------------|-------------|----------------|---------------|-------------------|----------|--------|
| Z-STR-SS10003  | Internal       | 1.00" NPT | 1.75"       | —           | —              | Yes           | 14 GPM            | 3.20"    | 4.60"  |
| Z-STR-SS15003  | Internal       | 1.50" NPT | 2.25"       | —           | —              | Yes           | 32 GPM            | 3.20"    | 8.60"  |
| Z-STR-TF122000 | External       | 1.25" BPT | —           | 2" NPT      | 1.20"          | No            | 23 GPM            | 2.20"    | 9.10"  |
| Z-STR-TF122005 | External       | 1.25" BPT | —           | 2" NPT      | 1.20"          | Yes           | 23 GPM            | 2.20"    | 9.10"  |
| Z-STR-TF153005 | External       | 1.50" NPT | —           | 3" NPT      | 1.50"          | Yes           | 32 GPM            | 3.20"    | 8.70"  |



## Made in America. **Built for you.**

At Cleveland Tank, every diesel and hydraulic tank is proudly designed and manufactured right here in the USA. By choosing Cleveland Tank, you're supporting local manufacturing, creating jobs in the community and helping strengthen the domestic economy. Sourcing your tanks from a trusted American manufacturer means:

### **FASTER LEAD TIMES**

Sourcing tanks domestically through Cleveland Tank ensures shorter lead times, so you get the products you need quickly—without compromising on quality.

### **CONSISTENT QUALITY**

Manufacturing tanks in the USA allows us to maintain strict quality control, ensuring every tank meets the highest standards for performance and durability.

### **LOCAL SUPPORT**

With Cleveland Tank, you benefit from local support—access to expert guidance, readily available replacement parts and responsive service whenever you need it.

When reliability, durability and peace of mind matter, Cleveland Tank delivers—built to last, crafted with precision and backed by decades of American manufacturing expertise and support.

**Call 216.771.8265 or visit [clevelandtank.com](http://clevelandtank.com) for more information today!**